



FACULTY OF SCIENCE AND MATHEMATICS
UNIVERSITI PENDIDIKAN SULTAN IDRIS
Tel: 015-4879 7314 / 7305 (P)|Fax: 015-4879 7296
Email : instrumenfsm@upsi.edu.my

20__/FSM/GPC/__()
No Rujukan JPPS
20__ - FSM/J__ / __ -
(BIL __ / __)
UPSI/FSM/JPPS(Pin 04)

APPLICATION FOR SAMPLE ANALYSIS
GEL PERMEATION CHROMATOGRAPHY (GPC)

PART A: APPLICANT INFORMATION

Applicant Name : _____
Matrix / Staff No. : _____ Phone No. : _____
Programme : _____ Department : _____
Supervisor Name : _____
Project / Research Title : _____
Vot / Grant No. : _____ Current Balance : _____
Please tick (/) : Undergraduate ☐ Postgraduate (coursework @ Thesis)/GRA/RA ☐ External ☐

PART B: SAMPLE INFORMATION

Number of Sample : _____

No.	Sample Name	Sample type (Solid, emus, etc.)	Solvent (Chloroform, THF, toluene, water)	Molecular Weight

PART C: DECLARATION

STUDENT / STAFF DECLARATION	SUPERVISOR / LECTURER DECLARATION
<p>I acknowledge that all information given above is true. I will be responsible for any damages that occurred due to falsification of the information.</p> <p>_____ (Signature)</p> <p>Name : _____ Date : _____</p>	<p>I acknowledge that this student is under my supervision. * I agree to pay the cost set by the Faculty of Science and Mathematics. <i>*(If Applicable Only)</i></p> <p>_____ (Signature & Stamp)</p> <p>Name : _____ Date : _____</p>

PART D: APPROVAL BY SCIENTIFIC INSTRUMENT COORDINATOR

APPROVAL BY SCIENTIFIC INSTRUMENT COORDINATOR : APPROVED / NOT APPROVED

Reason if not approved : _____

(Signature & Stamp)
Name : _____
Date : _____

OFFICE USE

Operator Name : _____
Received Date : _____
Completed Date : _____
Remarks : _____
TOTAL AMOUNT (RM) :

1. Ensure that your sample is fully dissolved in the solvent
2. Samples are insoluble will be returned immediately

PAYMENT RATE		
UPSI		RM15.00/sample/run (with column, mobile phase & standard)
		RM30.00/sample/run (without column, mobile phase & standard)
External		RM100.00/sample/run (Preparation RM50.00)
Urgent Analysis (Internal & External)		RM150.00/sample/run (Preparation RM50.00)